



1/2"F-1/2"F-1/2"F-1/2"F
8769.2



1/2"F-1/2"F 8788
1/2"F-1/2"M 8789
1/2"M-1/2"M 8790
3/4"F-3/4"F 8790.03
3/4"F-3/4"M 8790.03a
3/4"M-3/4"M 8790.03B
1"F-1"M 95gr. 8790.051

Adapter
(stamping)



Size	Article
1/2"M-3/4"F	8776
1/2"F-3/4"M	8777.2
1/2"M-1"F	8779.01
1/2"F-1"M	8779.03
3/4"M-1"F	8779.1
1"F-1 1/4"M	8779.21
3/4"F-1"M	8779.4

Cap (stamping)



Size	Article
1/2"F(seal)	8764
1"(seal)	8764.01
3/4"F(seal)	8764.03
1/2"M	8765
1"M(seal)	8767
3/4"M(seal)	8769

Coupling (stamping)



Size	Article
1/2"F-1/2"F	8761
1/2"F-3/4"F	8761.01
1/2"F-1"F	8761.02
3/4"F-3/4"F	8761.1
3/4"F-1"F	8761.2
1"F-1 1/4"F	8761.4
1"F-1"F	8762

Elbow connector
(stamping)



Size	Article
1/2" straight	8781.2
3/4" straight	8781.4
1" straight	8781.6

Nippel (straight)



Size	Article
1/2"M-3/8"M	8742.1
1/2"M-1/2"M	8744
1"M-3/4"M	8745
3/4"M-3/4"M	8746
1"1/4M-1"M	8748
1"M-1"M	8749
1/2"M-1"M	8750

Size	Article
1/2"M-3/4"M	8778

Tee Fitting (straight)



Size	Article
1/2"F-1/2"F-1/2"F	8782
1/2"M-1/2"M-1/2"M	8784
1/2"M-1/2"F-1/2"M	8785
1/2"F-1/2"M-1/2"F	

Size	Article
3/4"F-3/4"F-3/4"F	8787
3/4"M-3/4"M-3/4"M	8787.1
1"F-1"F-1"F	8787.2
	8787.4

hot stamping



Tee Fitting



Size	Article
1/2"F-1/2"F-1/2"F	0782
1/2"F-1/2"F-1/2"F(streng)	0782.1
1/2"F-1/2"F-1/2"M	0783
1/2"F-1/2"F-1/2"M(streng)	

Size	Article
1/2"M-1/2"M-1/2"M	0783.1
1/2"M-1/2"M-1/2"M	0784
1/2"M-1/2"F-1/2"M	0785
1/2"M-1/2"F-1/2"M(streng)	0785.1

Size	Article
1/2"F-1/2"M-1/2"M	0786
1/2"F-1/2"M-1/2"M(streng)	0786.1
1/2"F-1/2"M-1/2F	0787
1/2"F-1/2"M-1/2F(streng)	

Size	Article
3/4"F-1/2"F-3/4"F	0787.001
3/4"F-1/2"F-3/4"F	0787.01
3/4"F-1/2"M-3/4"F	0787.01a
3/4"M-1/2"F-3/4"M	0787.02

Size	Article
3/4"F-3/4"F-3/4"F	0787.1
3/4"F-3/4"M-3/4"F	0787.1a
3/4"M-3/4"M-3/4"M	0787.2
1"F-3/4"F-1"F	0787.3

Size	Article
1"F-1"F-1"F	0787.4
1 1/4"F-1 1/4"F-1 1/4"F	0787.5
1 1/2"F-1 1/2"F-1 1/2"F	0787.6
2"F-2"F-2"F	0787.7

Barbed Straight



Size	Article
1/4"M-10mm	0791.8
3/8"M (copper pipe)	0792.00
1/2"M (copper pipe)	0792.01
1/2"M-9mm	0793
1/2"F-10mm	0794

Size	Article
for gas cylinders with left-hand thread 22*1,5F (demountable)	0794.1a
1/2"M-10mm	0795
1/2"F d 10mm (demountable)	0795.01
3/4M-10mm	0795.02

Size	Article
3/4"F-10mm	0795.03
1/2"F-12mm	0796
1/2"M-12mm	0797
3/4"M-12mm	0797.002
3/4"F-12mm	0797.003
1/2"F-14mm	0797.01
1/2"M-14mm	0797.02

Size	Article
3/4"M-14mm	0797.02a
3/4"F-14mm	0797.02b
1/2"F-16mm	0797.03
1/2"M-16mm	0797.04
3/4"F-16mm	0797.05
3/4"M-16mm	0797.06
1/2"F-18mm	0797.1

Size	Article
1/2"M-18mm	0797.1a
3/4"M-18mm	0797.1b
3/4"F-18mm	0797.1c
1/2"F-20mm	0797.2
1/2"M-20mm	0797.2a
3/4"M-20mm	0797.2b
3/4"F-20mm	0797.2c

Coarse filter



90 Elbow



Size	Article
1/2"F-1/2"F	0788
1/2"F-1/2"F (streng)	0788.1
1/2"M-1/2"F	0789
1/2"F-1/2"M (for gasket)	0789.1

Size	Article
1/2"M-1/2"F (streng)	0789.2
1/2"M-1/2"M	0790
1/2"F-3/4"F	0790.01
1/2"M-3/4"F	0790.02
3/4"F-3/4"F	0790.03
3/4"F-3/4"M	0790.03a

Size	Article
1"F-1"F	0790.04
1"F-1"M(95gr)	0790.051
1"M-1"M	0790.05a
1 1/4"F-1 1/4"F	0790.06
1 1/2"F-1 1/2"F	0790.07
2"F-2"F	0790.071

Gas filter



Size	Article
1/2F-1/2F	0791.3
3/4F-3/4F	0791.4

Adapter



Size	Article
1/2"M-1/2"F	0775.1
1/2"M-3/4"F	0776
1/2"F-3/4"M	0777.2
1/2"F-1 1/4"M	0777.3
1/2"F-1 1/2"M	0777.4
1/2"F-3/8"M	0778.1
1/2"M-3/8"F	0779

Size	Article
1/2"M-1"F	0779.01
1/2"M-1 1/4"F	0779.02
1"M-1 1/2"F	0779.02a
1/2"F-1"M	0779.03
3/4"M-1"F	0779.1
3/4"M-1 1/4"F	0779.1a
1"M-1 1/4"F	0778.2

Size	Article
1"F-1 1/4"M	0779.21
1"F-1 1/2"M	0779.22
1 1/4"M-1 1/2"F	0779.23
3/4"F-1"M	0779.4
3/4"F-1 1/4"M	0779.5
3/4"F-1 1/2"M	0779.6
3/4"M-1 1/2"F	0779.7

Coupling water meter set of 2



Size	Article
Full construction 1/2"	0781
3/4"	0781.03
Full construction 1"	0781.04
Full construction 1 1/4"	0781.05
Full construction 1 1/2"	0781.06

Coupling



Size	Article
1/2"F-1/2"F	0761
1/2"F-3/4"F	0761.01
1/2"F-1"F	0761.02
1/2"F-1 1/4"F	0761.03
3/4"F-3/4"F	0761.1
3/4"F-1"F	0761.2
3/4"F-1 1/4"F	0761.3

Size	Article
3/4"F-1 1/2"F	0761.3a
1"F-1 1/4"F	0761.4
1"F-1 1/2"F	0761.4a
1 1/4"F-1 1/4"F	0761.5
1 1/2"F-1 1/2"F	0761.6

Size	Article
1 1/4"F-1 1/2"F	0761.6a
2"F-2"F	0761.7
1 1/2"F-2"F	0761.8
1 1/4"F-2"F	0761.9
1"F-1"F	0762

Collet coupler



Size	Article
1/2"Fx22	0781.8
3/4"Fx28	0781.9
1"Fx36	0781.9a
1 1/4Fx42	0781.9b

Nippel



Size	Article
1/2"M-3/8"M	0742.1
1/2"M-1/2"M	0744
1/2"M-1/2"M (streng)	0744.1
1"M-3/4"M	0745
3/4"M-3/4"M	0746
1 1/4"M-1 1/4"M	0747

Size	Article
1 1/2"M-1 1/2"M	0747.01
2"M-2"M	0747.02
1 1/4"M-1"M	0748
1"M-1"M	0749
1"M-1/2"M	0750
1 1/2"M-3/4"M	0750.02

Size	Article
1 1/2"M-1"M	0750.03
1 1/2"M-1 1/4"M	0750.04
2"M-1"M	0750.07
2"M-1 1/4"M	0750.08
2"M-1 1/2"M	0750.09
1/2"M-3/4"M	0778

Fitting with clamping nut (for containers)



Size	Article
1/2"	1801
3/4"	1802
1"	1803
1 1/4"	1804
1 1/2"	1805
2"	1806

Extension



Size	Article
1/2 L=10 FM	0790.08
1/2 L=15 FM	0790.09
1/2 L=20 FM	0790.1
1/2 L=30 FM	0790.2
1/2 L=40 FM	0790.3
1/2 L=50 FM	0790.4
1/2 L=60 FM	0790.5

Size	Article
1/2 L=80 FM	0790.6
1/2 L=100 FM	0790.7
3/4 L=10 FM	0790.a
3/4 L=15 FM	0790.b
3/4 L=20 FM	0790.c
3/4 L=30 FM	0790.e
3/4 L=40 FM	0790.g

Size	Article
3/4 L=50 FM	0790.i
3/4 L=60 FM	0790.k
3/4 L=80 FM	0790.m
3/4 L=100 FM	0790.n

Thermal sensor cap



Size	Article
1/2	1864

Water return valve (float)



Size	Article
1/2"(0,088kg)	0755.1
1/2"(0,068kg)	0755.1a
1/2"(0,162kg)	0755.1b
3/4"	0755.2
1"	0755.3
1"(streng.)	0755.3a
1 1/4"	0755.4

Size	Article
1 1/2"	0755.5
2"	0755.6
1/2"(0,075kg)	8755.1
1/2"(0,062kg)	8755.1a
3/4" (light)	8755.2
1"(light)	8755.3

Protective sleeve for temperature sensor



Size	Article
L-105	1863
L-50	1863.1
L-70	1863.2

Crane-beech



Size	Article
1/2"	0757.3
3/4"	0757.5
1"	0757.6

Size	Article
1/2"F-1/2"F (0,100 kg)	0791
1/2"F-1/2"F (0,140 kg)	0791.01
1/2"F-1/2"F (0,140 kg) (streng)	0791.01a

Size	Article
3/4"F-3/4"F (0,150 kg)	0791.11
1"F-1"F (0,240 kg)	0791.15
1 1/4"F-1 1/4"F	0791.21

Size	Article
1 1/2"F-1 1/2"F	0791.22
2"F-2"F	0791.23

Nut



Size	Article
3/4"(seal)	0752
1"(seal)	0752.1
1 1/4"(seal)	0752.2
1 1/2"(seal)	0752.4
2"(seal)	0752.5

Lock-nut



Size	Article
1/2"-6mm	0759
1/2"-9mm	0760
3/8"	0760.01
3/4"	0760.1
1"	0760.2
1 1/4"	0760.3

Pipe connector



Size	Article
1/2" L=80	0762.01
1/2" L=100	0762.01a
1/2" L=120	0762.01b
1/2" L=150	0762.01c
3/4" L=80	0762.02
3/4" L=100	0762.02b
3/4" L=120	0762.02c

Size	Article
3/4" L=150	0762.02d
1" L=80	0762.02j
1" L=95	0762.03
1" L=100	0762.03b
1" L=120	0762.03c

Pipe incut



Size	Article
1/2"	0751
3/4"	0751.01
1"	0751.02

Three-way crane for manometer



Size	Article
Tap	0757.001
With handle	0757.001a
With flange	0757.001b
Flange with handle	0757.001c

Elbow connector



Size	Article
1/2" straight	0781.2
1/2" angular	0781.3
3/4" straight	0781.4
3/4" angular	0781.5
1" straight	0781.6
2" straight	0781.6a
1" angular	0781.7

Size	Article
1 1/4" straight	0781.7a
1 1/4" angular	0781.7a1
1 1/2" straight	0781.7b

Maevisky water tap



Size	Article
M10x1	0756.5
1/2"	0757

Bath Shower Pipe Reduction Dog Legs Eccentric



Size	Article
1/2"M-3/4"M	0750.2

Cross-piece



Size	Article
1/2F-1/2M-1/2F-1/2M	0769.1
1/2F-1/2F-1/2F-1/2F	0769.2
3/4F-3/4F-3/4F-3/4F	0769.3

Size	Article
3/4"F-3/4M-3/4F-3/4M	0769.4
3/4"F-1/2F-3/4F-1/2F	0769.5

Tbrass ventill water crane



Size	Article
Crane	0757.01

Ventil flywheel



Size	Article
Lamb 1/2"	0758.1
Boat 1/2"	0758.2
Lamb 1"	0758.3

Ventil water crane



Size	Article
B 1/2"FF	0757.2
L 1/2"FF	0757.20
B 1/2"FF(econom)	0757.21
L 1/2"FF(econom)	0757.21a
B 1/2"FM	0757.22
L 1/2"FM	0757.22a
B 3/4"FF	0757.23

Size	Article
L 3/4FF	0757.23a
B 1"FF	0757.26
L 1"FF	0757.26a

5-pt connection for pumping stations



Size	Article
Fitting	8820

Cap



Size	Article
1/4"M	0762.90
1/2"F	0763
Gas bottle cap (left-hand thread) 22*1,5F	0763.01
1/2"F(seal)	0764
1"F	0764.01
1"M	0764.02

Size	Article
1/2"M	0765
1/2"M(seal)	0767
3/4"F	0768
3/4"M(seal)	0769
1 1/4"F(seal)	0769.01
1 1/2"F(seal)	0769.03



Tee Fitting Ni



Size	Article
1/2"F-1/2"F-1/2"F	2426
1/2"F-1/2"F-1/2"F(streng)	2426.1
1/2"F-1/2"F-1/2"M	2427
1/2"F-1/2"F-1/2"M(streng)	

Size	Article
1/2"M-1/2"M-1/2"M	2427.1
(streng)	2428
1/2"M-1/2"F-1/2"M	2429
1/2"F-1/2"M-1/2"M	2430

Size	Article
1/2"F-1/2"M-1/2"M	
(streng)	2430.1
1/2"F-1/2"M-1/2"F	2431
3/4"F-1/2"M-3/4"M	2432
3/4"F-1/2"M-3/4"F	

Size	Article
3/4"M-1/2"F-3/4"M	2433
3/4"F-3/4"F-3/4"F	2434
3/4"F-3/4"M-3/4"F	2435
3/4"F-3/4"M-3/4"F	2436

Elbow connector Ni



Size	Article
1/2" straight	0781.e
1/2" angular	0781.f
3/4" straight	0781.g
3/4" angular	0781.h
1" straight	0781.i
1" angular	0781.j
1 1/4" straight	0781.k

Size	Article
2" straight	0781.m

Maevsky water tap with handle Ni



Size	Article
1/2"	0178.01a

Coupling Ni



Size	Article
1/2"F-1/2"F	2406
1/2"F-3/4"F	2407
1/2"F-1"F	2408
1/2"F-1 1/4"F	2409
3/4"F-3/4"F	2410
3/4"F-1"F	2411
1"F-1"F	2412

Size	Article
1 1/4"F-2"F	2412.1
1 1/2"F-2"F	2412.2

Bath Shower Pipe Reduction Dog Legs Eccentric Ni



Size	Article
1/2"M-3/4"M	2467

90 Elbow Ni



Size	Article
1/2"F-1/2"F	2440
1/2"F-1/2"F(streng)	2440.1
1/2"M-1/2"F	2441
1/2"F-1/2"M(for gasket)	2442
1/2"M-1/2"M	2443

Size	Article
1/2"F-3/4"F	2444
1/2"M-3/4"F	2445
3/4"F-3/4"F	2446
3/4"F-3/4"M	2447
1"F-1"F	2448
1"F-1"M	2449
1"M-1"M	2450

Cap Ni



Size	Article
1/2"F	2413
1/2"F(seal)	2413.1
1"F	2414
1/2"M	2415
3/4"F	2416
3/4"M(seal)	2416.01
1 1/2"F(seal)	2416.1

Nippel Ni



Size	Article
1/2"M-3/8"M	2400
1/2"M-1/2"M(streng)	2401
1/2"M-1/2"M	2401.01
1"M-3/4"M	2402
3/4"M-3/4"M	2403
1"M-1"M	2404

Size	Article
1"M-1/2"M	2405
1 1/2"M-1 1/2"M	2405.01
1 1/4"M-1 1/2"M	2405.02
1 1/4"M-1"M	2405.03
1/2"M-3/4"M	2419

Lock-nut Ni



Size	Article
1/2"-6mm	2469
3/4"	2472
1"	2473

Adapter Ni



Size	Article
1/2"M-1/2"F	2417
1/2"M-3/4"F	2418
1/2"F-3/8"M	2420
1/2"M-3/8"F	2421
1/2"M-1"F	2422
1/2"F-1"M	2423
1/2"F-3/4"M	2423.01

Size	Article
3/4"M-1"F	2424
3/4"F-1"M	2425
1"M-1 1/4"F	2425.01
1"F-1 1/2"M	2425.01b
1/2"M-1 1/4"F	2425.02
1"M-1 1/2"F	2425.02a

Extension Ni (V.I.P)



Size	Article
1/2" L=80	0332
1/2" L=100	0333
3/4" L=30	0333.04
3/4" L=40	0333.05
3/4" L=50	0333.1
3/4" L=60	0333.2
3/4" L=80	0333.4

Extension Ni



Size	Article
1/2 L=10 FM	2451
1/2 L=15 FM	2452
1/2 L=20 FM	2452.a
1/2 L=30 FM	2453
1/2 L=40 FM	2454
1/2 L=50 FM	2455
1/2 L=60 FM	2456

Size	Article
1/2 L=60 MM	2456.1
1/2 L=80 FM	2457
1/2 L=100 FM	2458
3/4 L=10 FM	2459
3/4 L=15 FM	2460
3/4 L=20 FM	2461
3/4 L=30 FM	2462

Size	Article
3/4 L=40 FM	2463
3/4 L=50 FM	2464

Size	Article
3/4"M- 3/4"M- 3/4"M	2437
1"F-3/4"F-1"F	2438
1"F-1"F-1"F	2439

Cross-piece Ni



Size	Article
1/2"F-1/2M-1/2"F-1/2M	2416.2
3/4"F-3/4F-3/4F-3/4F	2416.2b
3/4"F-3/4M-3/4M-3/4M	2416.2c
3/4"F-1/2F-3/4F-1/2F	

Size	Article
1/2"F-1/2F-1/2F-1/2F	2416.2d
	2468

Coupling V.I.P.
(chrome matte)



Size	Article
1/2"F-1"F	0304
1/2"F-1 1/4"F	0305
3/4"F-3/4"F	0306
3/4"F-1"F	0307
3/4"F-1 1/4"F	0308
1"F-1"F	0309
1 1/4"F-1 1/4"F	0310

Size	Article
1"F-1 1/4"F	0311
1/2"F-3/4"F	0312

Adapter V.I.P.
(chrome matte)



Size	Article
1/2"M-1"F	0340
1/2"M-1 1/4"F	0340.1
1/2"F-1"M	0341
3/4"M-1"F	0346

Tee Fitting
V.I.P. (chrome matte)



Size	Article
1/2"F-1/2"M-1/2"F	0318.1
1/2"M-1/2"F-1/2"M	0318.4
1/2"M-1/2"M-1/2"M	0319
3/4"F-3/4"F-3/4"F	

Size	Article
3/4"M-3/4"M-3/4"M	0320
	0323

Cross-piece V.I.P.
(chrome matte)



Size	Article
3/4"F-3/4"F-3/4"F-3/4"F	0352

90 Elbow V.I.P.
(chrome matte)



Size	Article
3/4"F-3/4"F	0358
1 1/4"F-1 1/4"F	0364.1

Nippel V.I.P.
(chrome matte)



Size	Article
1/2M"-1"M 515	0342
1"M-1 1/4"M	0344
3/4"M-1 1/4"M	0350
1 1/4"M-1 1/4"M	0351

Cap M
V.I.P. (chrome matte)



Size	Article
3/4"M	0300

Cap F
V.I.P. (chrome matte)



Size	Article
2/4"F	0329

Lock-nut V.I.P.
(chrome matte)



Size	Article
1/2"	0295
3/4"	0296

